

FORM PTO-1390
(REV 10-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

6400-32WOUS

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

10/088789

INTERNATIONAL APPLICATION NO.
PCT/DE00/03179INTERNATIONAL FILING DATE
13 September 2000PRIORITY DATE CLAIMED
24 September 1999

TITLE OF INVENTION TERMINAL FOR PROCESSING FORMS

APPLICANT(S) FOR DO/EO/US

Günter Baitz et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to promptly begin national examination procedures (35 U.S.C. 371(f)).
4. ☒ The US has been elected by the expiration of 19 months from the priority date (PCT Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(3)).
7. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11 to 16 below concern document(s) or information included:

1. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information: Form PCT/IB/308


"EXPRESS MAIL" MAILING LABEL

NUMBER EL 889914525 USDATE OF DEPOSIT 3-21-02

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS
BEING DEPOSITED WITH THE UNITED STATES POSTAL
SERVICE "EXPRESS MAIL POST OFFICE TO
ADDRESSEE" SERVICE UNDER 37 CFR 1.10 ON THE
DATE INDICATED ABOVE AND IS ADDRESSED TO THE
COMMISSIONER OF PATENTS AND TRADEMARKS,
WASHINGTON, D.C. 20231.

(TYPED OR PRINTED NAME OF PERSON MAILING
PAPER OR FEE)

Ana R. Rivera
(SIGNATURE OF PERSON MAILING PAPER OR FEE)

U.S. APPLICATION NO. (if known, see 37 CFR 1.53) 10/088789		INTERNATIONAL APPLICATION NO. PCT/DE00/03179		ATTORNEY'S DOCKET NUMBER 6400-32WOUS	
17. <input checked="" type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	9 - 20 =	0	X \$18.00	\$	
Independent claims	1 - 3 =	0	X \$84.00	\$	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 890.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				\$	
SUBTOTAL =				\$ 890.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$ 890.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				\$ 40.00	
TOTAL FEES ENCLOSED =				\$ 930.00	
				Amount to be refunded:	\$
				charged:	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>930.00</u> to cover the above fees is enclosed.					
b. <input type="checkbox"/> Please charge my Deposit Account No. <u>13-0235</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.					
c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>13-0235</u> . A duplicate copy of this sheet is enclosed.					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO: Donald K. Huber McCormick, Paulding & Huber LLP CityPlace II 185 Asylum Street Hartford, CT 06103-3402 (860) 549-5290			 SIGNATURE: Donald K. Huber March 21, 2002 NAME 18,686 REGISTRATION NUMBER		

"EXPRESS MAIL" MAILING LABEL

NUMBER EL 889914525 US

DATE OF DEPOSIT March 21, 2002

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING
DEPOSITED WITH THE UNITED STATES POSTAL SERVICE
"EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE
UNDER 37 CFR 1.10 ON THE DATE INDICATED ABOVE
AND IS ADDRESSED TO THE COMMISSIONER OF PATENTS
AND TRADEMARKS, WASHINGTON, D.C. 20231.

Ana R. Rivera

(TYPED OR PRINTED NAME OF PERSON MAILING
PAPER OR FEE)

Ana R. Rivera
(SIGNATURE OF PERSON MAILING PAPER OR FEE)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of)
Günter Baitz et al.)
on TERMINAL FOR PROCESSING)
FORMS)
Serial No.: National Stage Entry of)
Int'l Appln. No. : PCT/DE00/03179)
International Filing Date: 13 September 2000)
Filed: Simultaneously herewith) (Our Docket No. 6400-32WOUS)

Hartford, Connecticut, March 21, 2002

Box PCT
Assistant Commissioner for Patents
Washington, DC 20231

PRELIMINARY AMENDMENT

S I R:

Prior to examination on the merits, please amend the above-identified
application as follows with reference to the English Translation of the International
Application, filed simultaneously herewith:

In the claims:

Please amend claims 4-5, and 8-9 to read as follows:

4. (Amended) The terminal (10) as claimed in claim 2, having an at least partly hollow plate (15) which is arranged on the rear part (14') of the foot part and in which the at least one pull-out rail (34) is accommodated by the plate (15) when the document reader (20) is displaced in the direction of the loadbearing part (16).

5. (Amended) The terminal (10, 110) as claimed in claim 1, in which the electronic box (22, 122) is set up on or fixed to the plate (15) or - as viewed from the operator side - a section (14') of the area of the foot part which is located behind the loadbearing part.

8. (Amended) The terminal (10, 110) as claimed in claim 1, in which an electric line (62, 60) connecting the electronic box (22) to the document reader (20) and/or an electric line (62, 60) connecting to the visual display unit (18) is led through the day part (16) or else additionally through the plate (15), forming a pull-out loop (64).

9. (Amended) The terminal (110) as claimed in claim 1 whose visual display unit (118) can be displaced laterally or pivoted laterally on the loadbearing part (116).

REMARKS

The above amendments are being made to remove multiple dependencies from its claims.

Attached hereto is a marked-up version of the changes made to the claims. The attached page is captioned **"Version with markings to show changes made."**

By Donald K. Huber

McCormick, Paulding & Huber LLP
CityPlace II
185 Asylum Street
Hartford, Connecticut 06103-3402
(860) 549-5290

Version with markings to show changes made

In the claims:

4. (Amended) The terminal (10) as claimed in claim 2[or 3], having an at least partly hollow plate (15) which is arranged on the rear part (14') of the foot part and in which the at least one pull-out rail (34) is accommodated by the plate (15) when the document reader (20) is displaced in the direction of the loadbearing part (16).

5. (Amended) The terminal (10, 110) as claimed in [one of the preceding claims] claim 1, in which the electronic box (22, 122) is set up on or fixed to the plate (15) or - as viewed from the operator side - a section (14') of the area of the foot part which is located behind the loadbearing part.

8. (Amended) The terminal (10, 110) as claimed in [at least one of the preceding claims] claim 1, in which an electric line (62, 60) connecting the electronic box (22) to the document reader (20) and/or an electric line (62, 60) connecting to the visual display unit (18) is led through the day part (16) or else additionally through the plate (15), forming a pull-out loop (64).

9. (Amended) The terminal (110) as claimed in [one of the preceding claims] claim 1 whose visual display unit (118) can be displaced laterally or pivoted laterally on the loadbearing part (116).

U. S. National Stage Entry of Int'l. Appln. No. PCT/DE00/03179

Attorney Docket No. 6400-32WOUS

(99P6249P)

**ENGLISH TRANSLATION OF THE INTERNATIONAL APPLICATION AS
FILED**

"EXPRESS MAIL" MAILING LABEL

NUMBER EL 889914525 US

DATE OF DEPOSIT March 21, 2002

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING
DEPOSITED WITH THE UNITED STATES POSTAL SERVICE
"EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE
UNDER 37 CFR 1.10 ON THE DATE INDICATED ABOVE
AND IS ADDRESSED TO THE COMMISSIONER OF PATENTS
AND TRADEMARKS, WASHINGTON, D.C. 20231.

Ana R. Rivera
(TYPED OR PRINTED NAME OF PERSON MAILING
PAPER OR FEE)

Ana R. Rivera
(SIGNATURE OF PERSON MAILING PAPER OR FEE)

10088789-03179

3/pex.
ENGLISH SUMMARY

German Utility Model Registration No. G 87-11-758.4

Registered: October 15, 1987

SELF SERVICE BANK TERMINAL

201220 68233001

A self service bank terminal is constructed so as to be usable by sitting and standing customers, so as to take up little floor surface, and so that several terminals can be placed side-by-side with the display screen of one terminal being not viewable by customers at other of the terminals. The terminal has a housing 10 with two rectangular side walls 23, 123 connected by an upper cover plate 24, a rear wall 25, a front plate 27 and a bottom plate 26, which includes the bottom plate having a supporting surface for engaging a supporting floor, or the bottom plate 22 having a supporting column 21, with the cover plate being horizontal or slightly sloped. The display screen is located on a pulpit shaped portion 124 of the cover plate, has associated with it blinder shields 41 on three of its sides, and is slightly inclined. Also included in the terminal are a keyboard 52, a check examining device 53, and a printer drawer 30.

3/pvd
Terminal for processing formsTechnical field

- 5 The invention relates to a terminal for processing forms, in particular betting slips.

Prior art

- 10 A terminal of the aforementioned type is offered and marketed by the applicant under the designation "XION" and, in side view, has approximately the shape of a semi-ellipse inclined rearward. A slot-like feed opening for documents is arranged on the vertex of the
- 15 semi-ellipse. On the operator side, underneath the feed opening, there is a visual display unit inclined rearward in the manner of a desk and having a touch-sensitive input surface and, under the latter, a receiving compartment for documents which have passed
- 20 through a document reader incorporated in the terminal behind the visual display unit. Underneath the receiving compartment, the operating side of a PC-based control device is always accessible.
- 25 The aforementioned terminal has various disadvantages: In order to insert a document into the feed opening, it is necessary to reach over the visual display unit. As a result, the operation of the terminal is made more difficult, in particular for small persons.
- 30 In the case of a document jam, the visual display unit must be disassembled.
- The operating side of the control device, and therefore
- 35 its operating elements are not protected against unauthorized access.

WO 9841073 A1 discloses a device having a first mounting rack and a further mounting rack that can be coupled thereto. The further mounting rack is designed as a peripheral top unit and is fixed to the mounting
5 rack in a detachable and swiveling manner.

The object of the invention is to propose a terminal of the aforementioned type which is simple to operate, to install and to maintain and whose operating elements,
10 to be operated only by operating staff, are protected against unauthorized access.

The object is achieved by the features of claim 1.

15 Summary of the invention

The invention is based on the finding that a terminal for processing forms can be operated particularly simply when at least the components to be operated
20 regularly are located close beside one another on a circular arc about the shoulder joint of an operator. In the case of a terminal of the aforementioned type, these are the document feed opening and the touch-sensitive input surface of the visual display unit, but
25 in the further sense also the operating elements of the electronic box. According to the invention, for this purpose a stand having a foot part and a loadbearing part projecting approximately perpendicularly from the latter is provided to hold the visual display unit, and
30 the document reader is arranged on an operator side of the terminal, underneath the visual display unit. For simple installation and maintenance of the hardware and software of the terminal, the document reader can be
35 displaced in the direction of an operator between a position

in which it rests on the loadbearing part and a position at a distance from the latter.

5 The document reader is preferably fixed to at least one pull-out rail, which is mounted so that it can slide on the stand.

10 As an alternative to this, the document reader can be fixed to a document reader wall, which substantially covers the operator side of the loadbearing part when the document reader is resting on the latter and is fixed to at least one pull-out rail, which in turn is mounted such that it can slide on the stand.

15 According to a preferred embodiment of the invention, an at least partly hollow plate is arranged on the foot part, and during displacement of the document reader in the direction of the loadbearing part, the at least one pull-out rail is accommodated by the plate.

20 The electronic box is preferably set up or fixed on the plate or a part of the area of the foot part which - as seen from the operator side - is located behind the loadbearing part. In this case, the electronic box is
25 arranged on the foot part in such a way that its operating side rests on the loadbearing part, the loadbearing part being provided with at least one section which leaves the operating elements of the electronic box free. Then, when the document reader is
30 resting on the loadbearing part, the operating side is then covered by said document reader or the document reader wall and is therefore removed from unauthorized access. In the position at a distance from the loadbearing part, the operating side of the electronic
35 box is exposed for access to the operating elements.

In order to improve the access protection still further, in a preferred development of the invention the loadbearing part is designed in the manner of a frame, the frame reaching around at least one region of the electronic box close to its operating side.

An electric line connecting the electronic box to the document reader and/or to the visual display unit may be led through the loadbearing part or else additionally through the plate, forming a pull-out loop.

Behind the visual display unit, a document printer may be set up on the electronic box. In order to be able to grip sales receipts printed by the latter from the operator side of the terminal, according to a development of the invention the visual display unit can be displaced laterally or pivoted laterally on the loadbearing part.

In the following text, two exemplary embodiments of the invention will be explained by using the appended drawings.

Brief description of the drawings

Fig. 1 shows a first exemplary embodiment of a terminal for processing forms in a perspective side view,

Fig. 2 shows the terminal from Fig. 1 with a document reader at a distance from the loadbearing part,

Fig. 3 shows the terminal from Fig. 1 in a perspective rear view,

Fig. 4 shows a second exemplary embodiment of a terminal for processing forms in a perspective side view,

5 Fig. 5 shows the terminal from Fig. 4 in a perspective front view,

Fig. 6 shows the terminal from Fig. 4 in a perspective rear view.

10

Description of one embodiment of the invention

Fig. 1 shows a first exemplary embodiment of a terminal 10 for processing forms or documents 26, in a perspective side view. It comprises a stand 12 having a foot part 14, 14' and a loadbearing part 16, a visual display unit 18 having a touch-sensitive input surface, a touch screen, as it is known, a document reader 20 and an electronic box 22, in which a terminal control device is accommodated. At the top, the document reader 20 has a feed opening 24 for documents 26 to be processed and, at the bottom, a receiving compartment 28 for documents which have passed through the document reader 20.

25

The document reader 20 is fitted to the upper edge of a document reader wall 30, on the operator side 32 of the latter. From the right-hand and left-hand lower corner of the rear side of the document reader wall 30, in each case a sliding rail 34 projects perpendicularly (only the right-hand sliding rail can be seen in Fig. 2). The sliding rails 34 are mounted, in a manner which is known and therefore not illustrated, so that they can slide in a hollow plate 15 arranged behind the loadbearing part 16

35

on the rear foot part 14', in such a way that the document reader wall 30 can be displaced in the direction of an operator between a position (Fig. 1) resting on the loadbearing part 16 and a position (Fig. 2) at a distance from the latter. The document reader wall 30 substantially covers the operator side 36 of the loadbearing part 16 when it is in its position resting on the latter.

The electronic box 22 is arranged on the plate 15 in such a way that its operating side 38 faces the loadbearing part 16. In the region of the operating side 38 of the electronic box 22, the loadbearing part 16 is provided with a cutout 40 which leaves operating elements - for example an "on" pushbutton 42 and a data medium reader 42' - belonging to the electronic box 22 and arranged on the operating side 38 free for access. A cable lead-through 44 in the loadbearing part 16 opens in the cavity in the plate 15.

Fig. 3 shows the terminal 10 in a perspective rear view. In this, it can be seen that the loadbearing part 16 is constructed in the manner of a frame with upper and lateral frame parts 46, 48, 48' pointing away from its operator side 36. The holding space 50 bounded by the frame parts 46, 48, 48' and the rear foot part 14' is dimensioned such that it is able to accommodate the region of the electronic box 22 and of the plate 15 that is close to the operating side 38 with a slight lateral spacing.

From the upper frame part 46, a bush 52 projects upward in order to hold a shaft 54 fitted to the bottom of the visual display unit 18. The shaft 54 ends in a tilting joint 58 which is arranged in the lower region of the visual display unit housing 56

and which permits the angle of inclination of the visual display unit 18 to be adjusted with respect to the loadbearing part 16.

5 Fig. 2 shows the document reader wall 30 in a position at a distance from the loadbearing part 12. As a result, a marshalling space 58 between the two becomes free for an electric line 60 that connects the electronic box 22 to the visual display unit 18 and a
10 second electric line 62 that connects the electronic box 22 to the document reader 20. The latter line is inserted into the plate 15 while forming a pull-out loop 64. Both lines 60, 62 lead through the plate 15 to a cable connection space 66 belonging to the electronic
15 box 22, which is covered by a removable cover 68.

For the purpose of installation of the terminal 10, the document reader wall 30 is moved into the position illustrated in Fig. 2 and at a distance from the
20 loadbearing part 12. The lines 60, 62 are then threaded in and connected to the electronic box 22 and to the visual display unit 18 and to the document reader 20. Then, the "on" pushbutton 42 is operated and a data medium (not illustrated) is inserted into the data
25 medium reader 42'. Then, or at the latest following the reading and the removal of the data medium, the document reader wall 30 is moved into the position illustrated in Fig. 1 and resting on the loadbearing part 12; the terminal 10 is ready to operate.

30 If a document 26, for example a betting slip or a lottery slip, is then inserted into the feed opening 24, then it will be read by the document reader 20 and deposited in the receiving compartment 28. The
35 information read, the marked lottery numbers in the example, will be displayed on the visual display unit 18.

Any inputs, for example a confirmation, calling up an amount to be charged or paid out, are actuated by touching input fields depicted on the touch screen.

5 Fig. 4 shows a terminal 110 for processing forms according to a second exemplary embodiment of the invention, in a perspective side view. Like the terminal 10 according to the first exemplary embodiment - for which reason identical parts are provided with
10 identical reference symbols - it comprises a stand 112 having a foot part 14, 14' and a loadbearing part 116, a second visual display unit 118 with a touch-sensitive input area, a touch screen, as it is known, a document reader 20 and a second electronic box 122, in which a
15 terminal control device is accommodated. At the top, the document reader 20 has a feed opening 24 for documents to be processed and, at the bottom, a receiving compartment 28 for documents which have passed through the document reader 20. The document
20 reader 20 is fitted to the upper edge of a document reader wall 30, on its operating side 32.

The second electronic box 122 is of particular flat design. The second electronic box 122 is equipped with
25 an additional housing 170, corresponding to the device disclosed by WO 9841073 A1, in which a second "on" pushbutton 142 and a second data medium reader 142' are accommodated. The additional housing 170 is detachably and pivotably fixed to the second electronic box 122,
30 specifically in such a way that connecting plugs 174 arranged on the connection side 172 of the second electronic box 122 and intended for cables leading to the visual display unit 118 and to the document reader 20 project into the

holding space 50 of the stand 12. It is therefore possible to omit a hollow plate for guiding the cables, which is designated by 15 in the case of the terminal 10 according to the first exemplary embodiment. The second "on" pushbutton 142 and the second data medium reader 142' are again associated with the cutout 40 in the loadbearing part 16 (Fig. 2) in the selected arrangement of the additional housing 170.

Fig. 4 reveals that the additional housing 170 is significantly narrower than the second electronic box 122. The remaining space on the second electronic box 122 is occupied by a document printer 176, which is able to output a document, for example a sales receipt 178, through an output slot 180. The latter is arranged on the upper side of the document printer 176 in such a way that the sales receipt 178 can be gripped both from the operating side and from a customer side of the terminal 110. In order to permit operating personnel to have access to the sales receipt 178, the second visual display unit 118 can be displaced laterally on the upper side 182 of the loadbearing part 116 of the second terminal 110 (Fig. 5).

For this purpose, the holding bush 152 bears a retaining projection 184, which is guided in a guide slot 186. The upper side 182 is provided with a cutout 186, in which the holding bush 152 can slide. That part of the section 186 which is left free by the holding bush 152 is covered by an endless thin sheet web which is led around two rotatable transport rollers 190 arranged parallel to the sides of the cutout 186. The cutout 186 is therefore covered in a dust-tight manner in every position of the visual display unit 118.

According to an alternative configuration of the terminal 10, the visual display unit 18 is arranged such that it can be pivoted laterally on the upper frame part 46 of the loadbearing part 16. For this purpose, a hollow swinging arm angled over in the manner of a crank is inserted between the holding bush 52 and the shaft 54 of the visual display unit 18, a first leg of the crank being rotatably mounted in the holding bush 52, and the shaft 54 of the visual display unit 18 being rotatably mounted in the other leg of the crank.

10088789-0349
201210-68288001

Patent claims

1. A terminal (10, 110) for processing forms (26), in particular betting slips, comprising a document reader (20) with a receiving compartment (28) for documents which have passed through the document reader (20), a visual display unit (18, 118) with a touch-sensitive input area and an electronic box (22, 122) containing a terminal control device,
- characterized in that,
- a stand (12, 112) is provided with a foot part (14, 14') and a loadbearing part (16, 116) projecting approximately perpendicularly from the latter to hold the visual display unit (18, 118) and
- the document reader (20) can be displaced on a [lacuna] arranged on an operator side of the terminal (10, 110) underneath the visual display unit (18, 118) and, in the direction of an operator, between a position resting on the loadbearing part (16, 116) and a position at a distance from the latter.
2. The terminal (10) as claimed in claim 1, whose document reader (20) is fixed to at least one pull-out rail which is mounted such that it can slide on the stand (12).
3. The terminal (10) as claimed in claim 1, whose document reader (20) is fixed to a document reader wall (30), which substantially covers the operator side (36) of the loadbearing part (16) when the document reader (20) is resting on the latter and is fixed to at least one pull-out rail (34), which in turn is mounted such that it can slide on the stand (12).

4. The terminal (10) as claimed in claim 2 or 3, having an at least partly hollow plate (15) which is arranged on the rear part (14') of the foot part and in which the at least one pull-out rail (34) is accommodated by the plate (15) when the document reader (20) is displaced in the direction of the loadbearing part (16).
5. The terminal (10, 110) as claimed in one of the preceding claims, in which the electronic box (22, 122) is set up on or fixed to the plate (15) or - as viewed from the operator side - a section (14') of the area of the foot part which is located behind the loadbearing part.
6. The terminal (10, 110) as claimed in claim 5, whose electronic box (22, 122) is arranged on the foot part (14') or the plate (15) in such a way that its operating side (38) rests on the loadbearing part (16, 116), the loadbearing part (16) being provided with at least one cutout (40) that leaves the operating elements (42, 42'; 142, 142') of the electronic box (22; 122) free.
7. The terminal (10, 110) as claimed in claim 6, whose loadbearing part (16) is constructed in the manner of a frame, the frame reaching around at least one region of the electronic box (22, 122) that is close to its operating side.
8. The terminal (10, 110) as claimed in at least one of the preceding claims, in which an electric line (62, 60) connecting the electronic box (22) to the document reader (20) and/or an electric line (62, 60) connecting to the visual display unit (18) is led through the day part (16) or else additionally through the plate (15), forming a pull-out loop (64).

9. The terminal (110) as claimed in one of the preceding claims whose visual display unit (118) can be displaced laterally or pivoted laterally on the loadbearing part (116).

10088785-03210

Abstract

Terminal for processing forms

A terminal (10) for processing betting slips in particular, comprising a document reader (20), a visual display unit (18) and an electronic box (22), is characterized by a stand (12) having a foot part (14, 14') and a loadbearing part (16) projecting approximately perpendicularly from the latter to hold the visual display unit (18), the document reader (20) being arranged on an operator side of the terminal (10), underneath the visual display unit (18), and being displaceable in the direction of an operator between a position resting on the loadbearing part (16) and a position at a distance from the latter.

(Fig. 1)

1003739.032103

1/3




Fig. 1




Fig. 2

2/3




Fig. 3




Fig. 4

3/3




Fig. 5




Fig. 6

Declaration and Power of Attorney For Patent Application

Erklärung und Vollmacht für Patentanmeldungen

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

My residence, post office address and citizenship are as stated below next to my name,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Terminal für die Bearbeitung von Formularen

deren Beschreibung

the specification of which

(zutreffendes ankreuzen)

☒ hier beigefügt ist.

☐ am _____ als

PCT internationale Anmeldung

PCT Anmeldungsnummer _____

eingereicht wurde und am _____

abgeändert wurde (falls tatsächlich abgeändert).

(check one)

☐ is attached hereto.

☐ was filed on _____ as

PCT international application

PCT Application No. _____

and was amended on _____

(if applicable)

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

2012010633001

German Language Declaration

Prior foreign applications
Priorität beansprucht

Priority Claimed

19945834.0 Germany 24. September 1999
(Number) (Country) (Day Month Year Filed)
(Nummer) (Land) (Tag Monat Jahr eingereicht)

☒ ☐
Yes No
Ja Nein

(Number) (Country) (Day Month Year Filed)
(Nummer) (Land) (Tag Monat Jahr eingereicht)

☐ ☐
Yes No
Ja Nein

(Number) (Country) (Day Month Year Filed)
(Nummer) (Land) (Tag Monat Jahr eingereicht)

☐ ☐
Yes No
Ja Nein

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 122 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §122, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date)
(Anmeldedatum)

(Status)
(patentiert, anhangig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date)
(Anmeldedatum)

(Status)
(patentiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissentlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden koennen, und dass derartig wissentlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: *(Name und Registrationsnummer anführen)*

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (*list name and registration number*)

Telefongespräche bitte richten an:
(Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

Postanschrift:

Send Correspondence to:

Voller Name des einzigen oder ursprünglichen Erfinders:

BAITZ, Günter

Full name of sole or first inventor:

Unterschrift des Erfinders

Datum

Inventor's signature

Date _____

Wohnsitz

D-13629 Berlin, Deutschland

Residence

Staatsangehörigkeit

deutsch

Citizenship

Postanschrift

Schwiegersteig 18

Post Office Address

D-13629 Berlin

Deutschland

Voller Name des zweiten Miterfinders (falls zutreffend):

KAMIN, Hartmut

Full name of second joint inventor, if any:

Unterschrift des Erfinders

Datum

Second Inventor's signature

Date _____

Wohnsitz

D-10585 Berlin, Deutschland

Residence

Staatsangehörigkeit	
---------------------	--

deutsch

Citizenship

Postanschrift

Richard-Wagner-Str. 50

Post Office Address

D-10585 Berlin

Deutschland

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).

300

Voller Name des dritten Miterfinders: BURCHART, Joachim		Full name of third joint inventor:	
Unterschrift des Erfinders <i>Joachim Burchart</i>	Datum 01.09.2000	Inventor's signature	Date
Wohnsitz D-33189 Schlangen		Residence	
Staatsangehörigkeit deutsch DEX		Citizenship	
Postanschrift Am Fichtenhain 14		Post Office Address	
D-33189 Schlangen			
Deutschland			
Voller Name des vierten Miterfinders (falls zutreffend):		Full name of fourth joint inventor, if any:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des fünften Miterfinders (falls zutreffend):		Full name of fifth joint inventor, if any:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des sechsten Miterfinders (falls zutreffend):		Full name of sixth joint inventor, if any:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).

RECEIVED SEP 11 2000

